

## IN THE CLAIMS

*Please amend claims 1, 4, 12, and 15, and add new claims 32-34, as follows:*

1. (Currently Amended) A method ~~for use in~~ performed by a mobile station for automatically grouping user-specific information items, each user-specific information item being for use in identifying or contacting a user of the mobile station, the method comprising the acts of:

detecting, at the mobile station, a trigger signal;

in response to detecting a ~~the~~ trigger signal, automatically grouping the user-specific information items ~~by a processor of the mobile station by~~ performing the following acts without prompting for user entry or selection of any of the user-specific information items at a user interface of the mobile station:

reading, from a first file of the mobile station, a first user-specific information item for identifying or contacting the user;

storing the first user-specific information item in a user information file or a message of the mobile station; and

repeating the acts of reading, from a second file of the mobile station, for at least a second user-specific information item for identifying or contacting the user, and storing, in the user information file or the message, for the ~~at least a second user-specific information item for identifying or contacting the user,~~ so that the first and the second user-specific information items are automatically grouped together as user information in the user information file or the message.

2. (Original) The method of claim 1, wherein each one of the first and the second user-specific information items comprises one of the following items: a user name associated with an end user of the mobile station; a telephone number of the mobile station; an e-mail address associated with an e-mail communication application

of the mobile station; a Personal Identification Number (PIN) of the mobile station; and an address associated with the end user of the mobile station.

3. (Original) The method of claim 1, wherein the first user-specific information item comprises a Personal Identification Number (PIN) of the mobile station.

4. (Currently Amended) The method of claim 1, further comprising:  
repeating the acts of reading, from a third file of the mobile station, at least a third user-specific information item for identifying or contacting the user, and storing, in the user information file or the message, for the at least a third user-specific information item ~~for identifying or contacting the user~~, so that the first, the second, and the third user-specific information items are automatically grouped together as user information in the user information file or the message.

5. (Original) The method of claim 4, wherein each one of the first, second, and third user-specific information items comprises one of the following items: a user name associated with an end user of the mobile station; a telephone number of the mobile station; an e-mail address associated with an e-mail communication application of the mobile station; a personal identification number (PIN) of the mobile station; and an address associated with the end user of the mobile station.

6. (Previously Presented) The method of claim 1, further comprising:  
sending the user information file or the message from the mobile station to one or more recipients via a wireless communication network.

7. (Previously Presented) The method of claim 1, further comprising:

sending the user information file or the message through an e-mail communication to one or more recipients via a wireless communication network.

8. (Previously Presented) The method of claim 1, wherein the user information file or the message comprises the user information file and the method further comprises:

sending the user information file as an attachment to a message to one or more recipients via a wireless communication network.

9. (Previously Presented) The method of claim 1, wherein the trigger signal is based on an expiration of a timer.

10. (Previously Presented) The method of claim 1, wherein the trigger signal is produced in response to a user input request for the user information.

11. (Previously Presented) The method of claim 1, wherein the trigger signal is produced in response to an update to any one of the user-specific information items in the first or the second files.

12. (Currently Amended) A mobile station, comprising:  
a wireless transceiver;  
a processor coupled to the wireless transceiver;  
a user interface coupled to the processor;  
memory coupled to the processor;  
the memory being adapted to store a first file having a first user-specific information item for identifying or contacting a user of the mobile station;  
the memory being adapted to store a second file having a second user-specific information item for identifying or contacting the user of the mobile station;

the processor being adapted to detect a trigger signal;

the processor being further adapted to automatically group at least the first and the second user-specific information items in response to detecting the trigger signal by performing the following acts without prompting for user entry or selection of any of the first and the second user-specific information items at the user interface in response to a trigger signal:

reading, from the first file, the first user-specific information item for identifying or contacting the user;

storing the first user-specific information item in a user information file or a message; and

repeating the reading, from the second file, the second user-specific information item for identifying or contacting the user, and the storing, in the user information file or the message, ~~for~~ the second user-specific information item ~~for identifying or contacting the user~~, so that the first and the second user-specific information items are automatically grouped together as user information in the user information file or the message.

13. (Original) The mobile station of claim 12, wherein each one of the first and the second user-specific information items comprises one of the following items: a user name associated with an end user of the mobile station; a telephone number of the mobile station; an e-mail address associated with an e-mail communication application of the mobile station; a personal identification number (PIN) of the mobile station; and an address associated with the end user of the mobile station.

14. (Original) The method of claim 12, wherein the first user-specific information item comprises a Personal Identification Number (PIN) of the mobile station which is utilized for PIN messaging.

15. (Currently Amended) The mobile station of claim 12, wherein the memory is further adapted to store a third file having a third user-specific information item for identifying or contacting a the user of the mobile station, and the processor is further operative to:

repeat the reading, from the third file, the third user-specific information item for identifying or contacting the user, and the storing, in the user information file or the message, ~~for the third user-specific information item for identifying or contacting the user~~, so that the first, the second, and the third user-specific information items are automatically grouped together as user information in the user information file or the message.

16. (Original) The mobile station of claim 15, wherein each one of the first, second, and third user-specific information items comprises one of the following items: a user name associated with an end user of the mobile station; a telephone number of the mobile station; an e-mail address associated with an e-mail communication application of the mobile station; a personal identification number (PIN) of the mobile station; and an address associated with the end user of the mobile station.

17. (Previously Presented) The mobile station of claim 12, wherein the processor is further operative to:

cause the user information file or the message to be sent through the wireless transceiver to one or more recipients.

18. (Previously Presented) The mobile station of claim 12, wherein the processor is further operative to:

cause the user information file or the message to be sent by e-mail communication through the wireless transceiver to one or more recipients.

19. (Previously Presented) The mobile station of claim 12, wherein the trigger signal is produced in response to an expiration of a timer.

20. (Previously Presented) The mobile station of claim 12, wherein the trigger signal is produced in response to a user input request for the user information.

21. (Original) The mobile station of claim 12, wherein the first user-specific information item comprises an International Mobile Subscriber Identification (IMSI) and the memory comprises at least a Subscriber Identity Module (SIM) or Removable User Identity Module (R-UIM).

22. (Previously Presented) The mobile station of claim 12, wherein the trigger signal is responsive to an update to any one of the user-specific information items in the first or the second files.

23-31. (Canceled)

32. (New) A method for use in a mobile station for automatically grouping user-specific information items of a user, the mobile station having a processor and a user interface and memory coupled to the processor, the memory adapted to store a first file having a first user-specific information item for identifying or contacting the user and a second file having a second user-specific information item for identifying or contact the user, the method comprising the acts of:

running a timer;

in response to detecting an expiration of the timer, automatically grouping the first and the second user-specific information items by performing the following acts without prompting at the user interface for user entry or selection of any of the first and the second user-specific information items:

reading, from the first file, the first user-specific information item for identifying or contacting the user;

storing the first user-specific information item in a user information file of the mobile station; and

repeating the acts of reading, from the second file, the second user-specific information item for identifying or contacting the user, and storing, in the user information file, the at least second user-specific information item, so that the first and the second user-specific information items are automatically grouped together as user information in the user information file.

33. (New) The method of claim 32, wherein the memory is further adapted to store a third file having a third user-specific information item for identifying or contacting the user, the method further comprising:

repeating the acts of reading, from the third file, the third user-specific information item for identifying or contacting the user, and storing, in the user information file, the at least a third user-specific information item, so that the first, the second, and the third user-specific information items are automatically grouped together as user information in the user information file.

34. (New) The method of claim 32, further comprising:

sending, from the mobile station, the user information file in a message to one or more recipients via a wireless communication network.